

Author index

- Aarli, J.A. *see* Skeie, G.O.
 Åhrén, B. Reducing plasma free fatty acids by acipimox improves glucose tolerance in high-fat fed mice, 161
 Aizman, R. *see* Grahnquist, L.
 Alen, M. *see* Häkkinen, K.
 Alexander, B. *see* Yang, W.
 Alexandrov, Y.I., Grinchenko, Y.V., Shevchenko, D.G., Averkin, R.G., Matz, V.N., Laukka, S. & Korpusova, A.V. A subset of cingulate cortical neurones is specifically activated during alcohol-acquisition behaviour, 87
 Allen, D.G. Eccentric muscle damage: mechanisms of early reduction of force, 311
 Alving, K. *see* Modin, A.
 Ambrosio, G.B. *see* Vescovo, G.
 Ansved, T. Muscle training in muscular dystrophies, 359
 Arvelius, P. *see* Olsson, K.
 Attramadal, H. *see* Hystad, M.E.
 Averkin, R.G. *see* Alexandrov, Y.I.
 Bräcker, A., Bokemeyer, D. & Kramer, H.J. Endothelin synthesis and receptors in porcine kidney, 105
 Benjamin, I.S. *see* Yang, W.
 Berkhoudt, J. *see* Vu, M.K.
 Bjerner, T. *see* Zemgulis, V.
 Björne, H. *see* Modin, A.
 Boesen, M. *see* Nielsen, H.B.
 Bokemeyer, D. *see* Bräcker, A.
 Bruton, J.D., Katz, A. & Westerblad, H. The role of Ca^{2+} and calmodulin in insulin signalling in mammalian skeletal muscle, 259
 Bryant, S. *see* Davey, P.
 Bülow, J. *see* Karamouzis, M.
 Calbet, J.A.L. *see* Rådegran, G.
 Camara, A.K.S. & Osborn, J. Central AT_1 and AT_2 receptors mediate chronic intracerebroventricular angiotensin II-induced drinking in rats fed high sodium chloride diet from weaning, 195
 Capucci, A. *see* Piepoli, M.F.
 Carlsson, L. & Thornell, L.-E. Desmin-related myopathies in mice and man, 341
 Casselbrant, A. *see* Johansson, B.
 Celsi, G. *see* Grahnquist, L.
 Chen, M. *see* Grahnquist, L.
 Chibalin, A.V. *see* Ryder, J.W.
 Clarkson, P.M. *see* Thompson, H.S.
 Clausen, T. *see* Gissel, H.
 Coats, A.J.S. *see* Piepoli, M.F.
 Dalla, L. *see* Vescovo, G.
 Danielson, B. *see* Metry, G.
 Daugaard, J.R. & Richter, E.A. Relationship between muscle fibre composition, glucose transporter protein 4 and exercise training: possible consequences in non-insulin-dependent diabetes mellitus, 267
 Davey, P., Bryant, S. & Hart, G. Rate-dependent electrical, contractile and restitution properties of isolated left ventricular myocytes in guinea-pig hypertrophy, 17
 Diener, M. *see* Ribeiro, R.
 Dietze, B. *see* Melzer, W.
 Eneström, S. *see* Erga, K.S.
 Erga, K.S., Peen, E., Eneström, S. & Reed, R.K. Effects of lactoferrin on rat dermal interstitial fluid pressure (P_{it}) and *in vitro* endothelial barrier function, 419
 Eriksson, S. *see* Ullman, J.
 Fändriks, L. *see* Johansson, B.
 Fihn, B.-M., Sjöqvist, A. & Jodal, M. Effect of cholera toxin on passive transepithelial transport of ^{51}Cr -ethylenediaminetetraacetic acid and ^{14}C -mannitol in rat jejunum, 153
 Fridén, J. & Lieber, R.L. Eccentric exercise-induced injuries to contractile and cytoskeletal muscle fibre components, 321
 Gabrielsen, A. *see* Pump, B.
 Galbo, H. *see* Ihlemann, J.
 Geiran, O.R. *see* Hystad, M.E.
 Gerashev, A. *see* Grahnquist, L.
 Gilhus, N.E. *see* Skeie, G.O.
 Gissel, H. & Clausen, T. Excitation-induced Ca^{2+} influx and skeletal muscle damage, 327
 Grahnquist, L., Chen, M., Gerashev, A., Aizman, R. & Celsi, G. Regulation of K^+ transport in the rat distal colon via angiotensin II subtype receptors and K^+ -pathways, 145
 Grimby, G. *see* Stibrant Sunnerhagen, K.
 Grinchenko, Y.V. *see* Alexandrov, Y.I.
 Gyrð-Hansen, M. *see* Krag, T.O.B.
 Häkkinen, K., Kraemer, W.J., Newton, R.U. & Alen, M. Changes in electromyographic activity, muscle fibre and force production characteristics during heavy resistance/power strength training in middle-aged and older men and women, 51
 Hall, C. *see* Hystad, M.E.
 Hall, C. *see* Metry, G.
 Hansell, P. *see* Metry, G.
 Hart, G. *see* Davey, P.
 Heinke, B. *see* Ribeiro, R.
 Henquin, J.-C. *see* Op't Eijnde, B.
 Henze, A. *see* Zemgulis, V.
 Herulf, M. *see* Modin, A.
 Hespel, P. *see* Op't Eijnde, B.
 Holm, M. *see* Johansson, B.
 Holmång, A., Niklasson, M., Rippe, B. & Lönnroth, P. Insulin insensitivity and delayed transcapillary delivery of insulin in oophorectomized rats treated with testosterone, 427
 Hystad, M.E., Geiran, O.R., Attramadal, H., Spurkland, A., Vege, Å., Simonsen, S. & Hall, C. Regional cardiac expression and concentration of natriuretic peptides in patients with severe chronic heart failure, 395
 Ihlemann, J., Ploug, T. & Galbo, H. Effect of force development on contraction induced glucose transport in fast twitch rat muscle, 439

- Jodal, M. *see* Fihn, B.-M.
- Johansson, B., Casselbrant, A., Holm, M., Von Bothmer, C., Johansson, B.R. & Fändriks, L. Effects of hypovolaemia on acid-induced duodenal mucosal damage in the rat, 43
- Johansson, B.R. *see* Johansson, B.
- Källskog, V. *see* Metry, G.
- Kamo, T. *see* Pump, B.
- Karamouzis, M., Langberg, H., Skovgaard, D., Bülow, J., Kjær, M. & Saltin, B. *In situ* microdialysis of intramuscular prostaglandin and thromboxane in contracting skeletal muscle in humans, 71
- Karlsson, J.O.G. *see* Stoen, R.
- Katz, A. *see* Bruton, J.D.
- Khurana, T.S. *see* Krag, T.O.B.
- Kiens, B. *see* Op't Eijnde, B.
- Kjær, M. *see* Karamouzis, M.
- Kobayashi, T. *see* Suzuki, J.
- Kokkonen, U.-M., Riskilä, P., Roihankorpi, M.-T. & Soveri, T. Circadian variation of plasma atrial natriuretic peptide, cortisol and fluid balance in the goat, 1
- Korpusova, A.V. *see* Alexandrov, Y.I.
- Kotsias, B.A. & Venosa, R.A. Caffeine-induced depolarization in amphibian skeletal muscle fibres: role of Na^+ / Ca^{2+} exchange and K^+ release, 459
- Koyama, T. *see* Suzuki, J.
- Kraemer, W.J. *see* Häkkinen, K.
- Krag, T.O.B., Gyrd-Hansen, M. & Khurana, T.S. Harnessing the potential of dystrophin-related proteins for ameliorating Duchenne's muscular dystrophy, 349
- Kramer, H.J. *see* Bäcker, A.
- Lamers, C.B.H.W. *see* Vu, M.K.
- Langberg, H. *see* Karamouzis, M.
- Larsson, N.-G. & Oldfors, A. Mitochondrial myopathies, 385
- Laukka, S. *see* Alexandrov, Y.I.
- Li, Y.-P. *see* Reid, M.B.
- Libera, L. *see* Vescovo, G.
- Lieber, R.L. *see* Fridén, J.
- Lohrer, W.A. *see* Thompson, H.S.
- Lönnroth, P. *see* Holmäng, A.
- Lossius, K. *see* Stoen, R.
- Lundberg, I.E. The physiology of inflammatory myopathies: an overview, 207
- Lundberg, J.O.N. *see* Modin, A.
- Lunde, P.K. *see* Skeie, G.O.
- Lunde, P.K., Sjaastad, I., Schiøtz Thorud, H.-M. & Sejersted, O.M. Skeletal muscle disorders in heart failure, 277
- Malm, C. Exercise-induced muscle damage and inflammation: fact or fiction?, 233
- Masclee, A.A.M. *see* Vu, M.K.
- Matz, V.N. *see* Alexandrov, Y.I.
- Melzer, W. & Dietze, B. Malignant hyperthermia and excitation-contraction coupling, 367
- Metry, G., Hall, C., Wikström, B., Källskog, V., Hansell, P. & Danielson, B. Fluid balance in patients with chronic renal failure assessed with N-terminal proatrial natriuretic peptide, atrial natriuretic peptide and ultrasonography, 117
- Modin, A., Björne, H., Herulf, M., Alving, K., Weitzberg, E. & Lundberg, J.O.N. Nitrite-derived nitric oxide: a possible mediator of 'acidic-metabolic' vasodilation, 9
- Mygland, Å. *see* Skeie, G.O.
- Nagaraju, K. Immunological capabilities of skeletal muscle cells, 215
- Newton, R.U. *see* Häkkinen, K.
- Nielsen, H.B., Boesen, M. & Secher, N.H. Near-infrared spectroscopy determined brain and muscle oxygenation during exercise with normal and resistive breathing, 63
- Niklasson, M. *see* Holmäng, A.
- Norsk, P. *see* Pump, B.
- Oldfors, A. *see* Larsson, N.-G.
- Olsson, K., Arvelius, P. & Olsson, K.K. Infusion of vasopressin is associated with increased milk flow in the goat, 467
- Olsson, K.K. *see* Olsson, K.
- Op't Eijnde, B., Richter, E.A., Henquin, J.-C., Kiens, B. & Hespel, P. Effect of creatine supplementation on creatine and glycogen content in rat skeletal muscle, 169
- Osborn, J. *see* Camara, A.K.S.
- Östenson, C.-G. The pathophysiology of type 2 diabetes mellitus: an overview, 241
- Peen, E. *see* Erga, K.S.
- Persson, A.A. *see* Stoen, R.
- Piepoli, M.F., Scott, A.C., Capucci, A. & Coats, A.J.S. Skeletal muscle training in chronic heart failure, 295
- Ploug, T. *see* Ihlemann, J.
- Pump, B., Kamo, T., Gabrielsen, A. & Norsk, P. Mechanisms of hypotensive effects of a posture change from seated to supine in humans, 405
- Rådegran, G. & Calbet, J.A.L. Role of adenosine in exercise-induced human skeletal muscle vasodilatation, 177
- Reed, R.K. *see* Erga, K.S.
- Reid, M.B. & Li, Y.-P. Cytokines and oxidative signalling in skeletal muscle, 225
- Ribeiro, R., Heinke, B. & Diener, M. Cell volume-induced changes in K^+ transport across the rat colon, 445
- Richter, E.A. *see* Daugaard, J.R.
- Richter, E.A. *see* Op't Eijnde, B.
- Rippe, B. *see* Holmäng, A.
- Riskilä, P. *see* Kokkonen, U.-M.
- Roihankorpi, M.-T. *see* Kokkonen, U.-M.
- Ronquist, G. *see* Zengulius, V.
- Rundgren, M. *see* Ullman, J.
- Ryder, J.W., Chibalin, A.V. & Zierath, J.R. Intracellular mechanisms underlying increases in glucose uptake in response to insulin or exercise in skeletal muscle, 249
- Saltin, B. *see* Karamouzis, M.
- Schiøtz Thorud, H.-M. *see* Lunde, P.K.
- Scordilis, S.P. *see* Thompson, H.S.
- Scott, A.C. *see* Piepoli, M.F.
- Secher, N.H. *see* Nielsen, H.B.
- Sejersted, O.M. *see* Lunde, P.K.
- Sejersted, O.M. *see* Skeie, G.O.
- Shevchenko, D.G. *see* Alexandrov, Y.I.
- Simonsen, S. *see* Hystad, M.E.
- Sjaastad, I. *see* Lunde, P.K.
- Sjöqvist, P.-O. *see* Wang, Q.-D.
- Sjöqvist, A. *see* Fihn, B.-M.
- Skeie, G.O., Lunde, P.K., Sejersted, O.M., Mygland, Å., Aarli, J.A. & Gilhus, N.E. Autoimmunity against theryanodine receptor in myasthenia gravis, 379
- Skovgaard, D. *see* Karamouzis, M.
- Soveri, T. *see* Kokkonen, U.-M.
- Spurkland, A. *see* Hystad, M.E.

- Stibrant Sunnerhagen, K. & Grimby, G. Muscular effects in late polio, 335
- Stoen, R., Lossius, K., Persson, A.A. & Karlsson, J.O.G. Relative significance of the nitric oxide (NO)/cGMP pathway and K⁺ channel activation in endothelium-dependent vasodilation in the femoral artery of developing piglets, 29
- Suzuki, J., Kobayashi, T., Uruma, T. & Koyama, T. Time-course changes in arteriolar and venular portions of capillary in young treadmill-trained rats, 77
- Swärdh, A. *see* Wang, Q.-D.
- Thelin, S. *see* Zemgulis, V.
- Thompson, H.S., Scordilis, S.P., Clarkson, P.M. & Lohrer, W.A. A single bout of eccentric exercise increases HSP27 and HSC/HSP70 in human skeletal muscle, 187
- Thornell, L.-E. *see* Carlsson, L.
- Ullman, J., Eriksson, S. & Rundgren, M. Effects of losartan, prazosin and a vasopressin V₁-receptor antagonist on renal and femoral blood flow in conscious sheep, 99
- Uruma, T. *see* Suzuki, J.
- Van Oostayen, J.A. *see* Vu, M.K.
- Vege, A. *see* Hystad, M.E.
- Venosa, R.A. *see* Kotsias, B.A.
- Vescovo, G., Ambrosio, G.B., Dalla, L. & Libera, L. Apoptosis and changes in contractile protein pattern in the skeletal muscle in heart failure, 305
- Von Bothmer, C. *see* Johansson, B.
- Vu, M.K., Berkhoudt, J., Van Oostayen, J.A., Lamers, C.B.H.W. & Masclee, A.A.M. Effect of triglycerides with different fatty acid chain length on superior mesenteric artery blood flow, 37
- Waldenström, A. *see* Zemgulis, V.
- Wang, Q.-D., Swärdh, A. & Sjöquist, P.-O. Relationship between ischaemic time and ischaemia/reperfusion injury in isolated Langendorff-perfused mouse hearts, 123
- Weitzberg, E. *see* Modin, A.
- Westerblad, H. *see* Bruton, J.D.
- Wikström, B. *see* Metry, G.
- Wikström, G. *see* Zemgulis, V.
- Yang, W., Benjamin, I.S. & Alexander, B. Nitric oxide modulates acetylcholine-induced vasodilatation in the hepatic arterial vasculature of the dual-perfused rat liver, 413
- Zemgulis, V., Ronquist, G., Bjerner, T., Henze, A., Waldenström, A., Thelin, S. & Wikström, G. Energy-related metabolites during and after induced myocardial infarction with special emphasis on the reperfusion injury after extracorporeal circulation, 129
- Zierath, J.R. *see* Ryder, J.W.



Subject index

- 2-deoxyglucose, 443
acetylcholine, 417
acid, 43
acidosis, 9
acipimox, 161
adaptation, 233
adhesion molecules and cytokines, 215
ageing, 51
agonist-antagonist, 51
albumin permeability, 423
alcohol, 87
AMPK, 443
angiogenesis, 77
angiotensin II, 305
ANP, 117
antidiuretic hormone, 1
antigen presenting cells, 215
apoptosis, 305
arterial carbon dioxide pressure, 63
arterial oxygen saturation, 63
AT₁ and AT₂ receptors, 145, 195
ATP, 417
atrial natriuretic peptide, 1, 399
atrium, 409
autonomic control, 295
- barium-sensitive K⁺ channels, 145
baroreceptors, 409
behaviour, 87
biopsies, 233
biopsy, 335
blood flow, 9, 177
blood pressure, 409
brain natriuretic peptide, 399
- Ca²⁺ accumulation, 327
Ca²⁺, 449
cachexia, 225
caffeine, 463
calcium channel, 367
calcium influx, 259
calcium release, 367, 379
calcium, 277
calmodulin, 259
calpain, 327
capillaries, 431
capillary domain area, 77
cardiac transplantation, 399
cardioplegia, 129
cationic protein, 423
cell volume, 449
cerebral blood flow, 63
cGMP, 29, 117
cholecystokinin, 37
cholera toxin, 153
chronic heart failure, 305
chronic ICV AII infusion, 195
cingulate cortex, 87
circadian variation, 1
- cortisol, 1
costameres, 341
co-stimulatory molecules, 215
creatin kinase, 233
Cr-EDTA, 153
cytokines, 207, 225
cytoskeletal proteins, 311
cytoskeleton, 321, 341, 449
- damage, 43
delayed-onset muscle soreness, 321
depolarization, 463
dihydropyridine receptor, 367
Doppler ultrasonography, 37
Duchenne's muscular dystrophy, 349, 359
duodenum, 43
dystrophic, 349
dystrophin, 349
- eccentric contraction, 311
eccentric exercise, 349
electrical and mechanical restitution, 17
electrical stimulation, 327
electrolyte transport, 449
EMG, 335
endothelial monolayers, 423
endothelin, 105
endothelium, 29
endothelium-derived relaxing factor, 29
endurance training, 77, 359
endurance, 335
energy metabolism, 129, 277
euphoria, 87
excitation-contraction coupling, 277, 367
exercise training, 267, 295
exercise, 71, 249, 443
exercise-induced muscle damage, 187
external potassium, 463
- facioscapulohumeral muscular dystrophy, 359
Fas, 215
fast twitch fibre, 443
fatigue, 277, 335
femoral artery, 29
femoral blood flow, 99
fibre type composition, 267
fluid balance, 1
force development, 443
force frequency relationship, 17
free fatty acid, 161
free radicals, 225
- gene expression, 399
gene therapy, 349
genetics, 385
glucose disposal, 241
glucose intolerance, 161
glucose production, 241
glucose transport, 249, 443

- glucose uptake, 169
GLUT4, 249, 267, 443
goat, 1, 395
guinea pig, 17
- haemodialysis, 117
heart failure, 277, 295
heart, 341
heat shock proteins, 187
hepatic artery, 417
high and normal sodium chloride diets, 195
high-fat diet, 161
human myocardium, 399
humans, 187
hydration, 117
hyperaemia, 177
hypertrophy, 17, 51
hypovolaemia, 43
- immersion, 409
immune response, 215
immune system, 233
immunohistochemistry, 233
inferior vena cava, 117
inflammation, 225
insulin resistance, 161
insulin secretion, 161, 241
insulin sensitivity, 241, 431
insulin, 169, 249, 259
intercalated discs, 341
intermediate filaments, 341
interstitial fluid pressure, 423
intestinal permeability, 153
intestine, 43
ischaemia, 123, 129
isolated heart, 123
- K^+ channels, 449
 K^+ transport, 449
kidney, 105
- lactate dehydrogenase, 327
lactoferrin, 423
learning, 87
leucocytes, 233
light microscopy, 43
limb-girdle muscular dystrophy, 359
losartan, 99, 195
low pH, 9
- major histocompatibility complex, 215
malignant hyperthermia, 367
mannitol, 153
mdx, 349
membrane potential, 17
mesenteric artery blood flow, 37
metabolism, 207
mice, 161
microdialysis, 129, 431
milk flow, 395
mitochondrial myopathy, 359
mitochondrial, 385
mitogen-activated protein kinases, 249
mouse, 123
- mtDNA, 385
mucosa, 43
muscle blood flow, 63
muscle contraction, 225, 249
muscle damage, 311
muscle disease, 367
muscle injury, 321
muscle integrity, 327
muscle morphology, 321
muscle strength, 321
muscle weakness, 207
muscle, 169, 385, 431
myasthenia gravis, 379
myocardial tissue concentration, 399
myocyte, 17
myotonic dystrophy, 359
myopathy, 385
myoplasmic calcium, 259
myosin heavy chains, 305
myositis, 207
myotendinous junction, 341
- $Na^+, K^+, 2Cl^-$ cotransporter, 145
 Na^+, K^+ -ATPase, 145
near-infrared spectroscopy, 63
near-membrane calcium, 259
neonatal, 29
neural activation, 51
neurodegeneration, 385
neuromuscular junction, 341
neurone, 87
NIDDM, 267
nitric oxide, 9, 29, 417
nitrite, 9
non-insulin-dependent diabetes mellitus, 249
N-terminal proANP, 117
- ODQ, 9
oxidative stress, 225
- pancreatic islet, 241
passive transport, 153
PD 123319, 195
perfused rat liver, 417
perfusion, 123
peripheral vascular resistance, 409
 PGE_2 , 71
 PGI_2 , 71
phosphatidylinositol 3-kinase, 249
phosphocreatine, 169
phospholipase A_2 , 327
physical conditioning, 295
physical, 233
physiology, 207
PI-3 kinase, 259
pig, 129
place units, 87
porcine, 105
postpolio, 335
posture, 409
potassium channels, 29
power, 51
prazosin, 99
protein expression, 187

- rat colon, 449
- rat, 327
- receptors, 105
- reduced force, 311
- reflex, 295
- renal blood flow, 99
- repair, 233
- reperfusion, 123, 129
- resistance exercise, 187
- resistance training, 51
- ryanodine binding, 379
- ryanodine receptor antibodies, 379
- ryanodine receptor, 367
- sarcoglycan, 349
- sarcomere disorganization, 311
- scanning electron microscopy, 43
- secretion, 43
- sheep, 99
- signal transduction, 443
- skeletal muscle cells, 215
- skeletal muscle, 77, 225, 259, 267, 277, 295, 305, 311, 335, 341, 367, 463
- skin, 423
- small intestine, 153
- sodium/calcium, 463
- spectroscopy, 335
- sphingosine, 305
- strength training, 359
- strength, 51
- stress response, 187
- succinate dehydrogenase, 77
- supine position, 409
- synthesis, 105
- testosterone, 431
- thymoma, 379
- TNF α , 305
- triglycerides, 37
- tumor necrosis factor, 225
- TXB₂, 71
- type 2 diabetes mellitus, 241
- ultrasonography, 117
- utrophin, 349
- vascular control, 177
- vascular smooth muscle, 9
- vasodilation, 9, 29
- vasodilator, 417
- vasomotor tone, 177
- vasopressin antagonist, 99
- vasopressin, 395
- ventilation, 63
- Welander distal myopathy, 359